

International Journal of Environment and Climate Change

Volume 14, Issue 9, Page 164-171, 2024; Article no.IJECC.121621 ISSN: 2581-8627 (Past name: British Journal of Environment & Climate Change, Past ISSN: 2231–4784)

Relationship between Socio Economic Profile and Adaptation Strategies of Maize Farmers to Climate Change in Maharashtra, India

B. Mounika ^{a*}, M. C. Ahire ^b, Kotha Shravani ^c and Chinni Venkata Sai Bharath ^d

^a Department of Agricultural Extension Education, National Dairy Research Institute, Karnal, Haryana, 132001, India.

^b Department of Agricultural Extension, Mahatma Phule Krishi Vidyapeeth, Rahuri, Maharashtra, 413722, India.

^c Department of Agricultural Extension, Indian Agriculture Research Institute New Delhi,110012, India. ^d Department of Agricultural Extension Education, National Dairy Research Institute, Karnal, 132001, India.

Authors' contributions

This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.

Article Information

DOI: https://doi.org/10.9734/ijecc/2024/v14i94402

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: https://www.sdiarticle5.com/review-history/121621

> Received: 10/06/2024 Accepted: 14/08/2024 Published: 29/08/2024

Original Research Article

ABSTRACT

Maize, the third most important cereal crop in the world following wheat and rice, is particularly affected by climate change. Maize is particularly sensitive to heat stress during the anthesis (flowering) and grain filling phase, which may result in decreased yields. Intergovernmental Panel

*Corresponding author: E-mail: mounikab722@gmail.com;

Cite as: Mounika, B., M. C. Ahire, Kotha Shravani, and Chinni Venkata Sai Bharath. 2024. "Relationship Between Socio Economic Profile and Adaptation Strategies of Maize Farmers to Climate Change in Maharashtra, India". International Journal of Environment and Climate Change 14 (9):164-71. https://doi.org/10.9734/ijecc/2024/v14i94402.

Mounika et al.; Int. J. Environ. Clim. Change, vol. 14, no. 9, pp. 164-171, 2024; Article no. IJECC. 121621

on Climate Change (IPCC) emphasizes the critical importance of adaptation in agriculture to climate change. The present study investigated the socio-economic profile of maize growers and examined its correlation with the adaptation strategies followed by them to mitigate the impact of climate change. This study was conducted in three tehsils namely Niphad, Nandgaon and Yeola of Nashik district in Maharashtra, involving a sample of 120 respondents from 12 villages. The study findings indicated that most maize growers were in the middle age group, had education up to secondary school level, belonged to medium family size, possessed medium farming experience, small landholding and medium annual income. Additionally, it was found that the majority of farmers had medium level of social participation, extension participation, mass media exposure and medium level of scientific orientation. As regards to relationship between socio-economic profile of maize growers and adaptation strategies followed, the study depicted that, independent variables such as education, farming experience, land holding, annual income, area under maize, social participation, extension contact, mass media exposure and scientific orientation demonstrated significant positive correlation with the adaptation strategies followed. Whereas, age is positively and non-significantly associated with the adaptation strategies followed and size of the family is negatively correlated with adaptation strategies followed. As extension and social participation are positively related to adaptation strategies followed, we can infer that creating awareness on climate change adaptation strategies by organizing more extension campaigns, training programs and providing subsidies or incentives for farmers will be motivate them to better adapt to climate change.

Keywords: Adaptation strategies; climate change; correlation; Maharashtra; maize.

1. INTRODUCTION

Climate change refers to long-term climatic change that lasts decades or longer and is defined by changes in the mean or variability of its parameters. Climate change is placing agriculture and food security at threat. One of the policy options to mitigate the adverse impact of climate change is adaptation [1]. According to the IPCC's recent report, there are some potential adaptation strategies which can be implemented at a low cost and have high benefit-to-cost ratios [2]. Use of new crop types and livestock breeds that are more suited to drought conditions, crop diversification, integrated farming svstems. and altering planting dates are all common agricultural adaptation strategies [3].

Maize is a plant that grows well in warm weather. The best temperature for germination is 21°C, and the best temperature for growth is 32°C. Maize is particularly sensitive to heat stress during the anthesis (flowering) stage by reducing the pollen germination [4]. During the grain filling period, high temperatures shorten kernel filling and decrease yield. Every 1 °C rise in temperature was found to negatively influence the maize yield [5]. Similarly, it was reported that yield in maize decreased by 8.3 per cent with every 1 °C rise in temperature from the optimum growth temperature [5]. Since maize is left in the field to dry up before harvesting, it is usually insensitive to heat stress and drought in the final period of the cropping season [6]. Drought can cause considerable delays in maize female organ development [7]. During the reproductive stage, water shortage can also result in the inhibition of photosynthesis, thus also reducing the nutrient supply to generative organs.

In order to adapt to the climate change, maize farmers are required first to notice that climate has been altered and then identify potential useful adaptation measures and implement them. This paper attempts to know the socioeconomic profile of the maize farmers and how it is correlated to adaptation strategies followed by maize growers to mitigate the effect of climate change.

2. METHODOLOGY

The present study was conducted in Nashik district, Maharashtra, where three tehsils were selected, and four villages were randomly chosen from each tehsil. From these villages, maize farmers with experience were ten randomly selected, resulting in a sample size of 120 farmers. Primary data was collected through field observations semi-structured and questionnaires, focusing on the socio-economic profile and adaptation strategies employed by maize farmers in response to climate change, covering areas such as crop management, soil and water conservation, and plant protection. The study utilized an ex-post facto research design. Responses from farmers were quantified, with a score of 1 assigned to "ves" and 0 to "no" regarding their adoption of various strategies. Total scores for each farmer were computed. Farmers were then categorized into three groups based on the percentage adopting specific activities, using mean and standard deviation. The relationship between socioeconomic variables and adaptation strategies is done by using correlation coefficient in SPSS software. Furthermore, statistical methods such as frequency, percentage, standard deviation, and mean were employed for data analysis.

3. RESULTS AND DISCUSSION

Table 1 showed that the majority, 58.34 percent of maize farmers, belonged to the middle age group, with 24.16 percent of them categorized as old age and 17.50 percent as young age group. This finding may be explained by the fact, that maize farmers aged 36-55 years bear the majority of family responsibility and are more involved in farming than other age groups. This finding was more or less in conformity with Daanya and Ramachandran [8].

The data indicated that 36.66 percent of maize farmers belonged to medium-sized families, while 35.84 percent were from small-sized families, and 27.50 percent belonged to largesized families. The possible reason might be due to the fact that smaller families are more expected to escape poverty traps due to upward income mobility, as household resources are shared among fewer members, so joint families are rare now. This finding is in consistent line with Satyanarayan et al. [9].

Regarding farming experience, the majority, 68.34 percent of maize growers, had a medium level of experience, followed by 18.33 percent with high experience, and 13.33 percent with low experience. The majority of maize farmers were having medium farm experience which might be due to most of them were in middle age group. Parallel findings were reported by Dhodia et al. [10].

Table 2, shows that among maize farmers, 4.17 percent were illiterate, while 5.83 percent had education up to primary school level, 7.5 percent up to middle school, 39.17 percent up to secondary school, 9.16 percent up to percent intermediate. 34.16 and uр to undergraduate levels. It could be inferred that; majority of maize growers were educated. This could be due to a greater awareness of farmers about the importance of education and the availability of a school in the village. This finding is similar to finding of Painkra et al. [11].

It was observed that 54.17 percent of maize farmers reported a medium annual income, while 24.16 percent had a low income and 21.67 percent had a high income. The majority of maize farmers were likely in the medium-income category because they earned moderate incomes from maize cultivation as well as from other crops such as grapes and wheat. The findings were in consistent with those of Singh and Pandey [12].

Table 3 shows that 9.16 percent of farmers had marginal land holdings, while 40.83 percent had small land holdings, 25.84 percent had semimedium land holdings, approximately 20.84 percent had medium land holdings, and 3.33 percent had large land holdings. Based on the findings, it can be stated that the majority of maize growers (nearly two-fifth), 40.83 percent possessed small size of land (up to 2.00 ha). Subdivision and fragmentation of farm land from one generation to the next may be the most likely cause of each farmer's land holding size reduction in rural areas. The findings were in consistent with those of Painkra et al [11].

Table 1. Distribution of the Maize Growers according to their age, family size and farming
experience

Variable	Category	Frequency	Percentage
Age	Young (15 to 35)	21	17.50
	Middle (36 to 55)	70	58.34
	Old (56 and above)	29	24.16
Family size	Small (up to 4)	43	35.84
	Medium (5 to 10)	44	36.66
	Large (11 and above)	33	27.50
Farming experience	Low (up to 14)	16	13.33
	Medium (15 to 39)	82	68.34
	High (40 and above)	22	18.33

Table 2. Distribution of the Maize Growers according to their Education and Annual Income

Level of education(standard)	Respondent (n=120)		
	Frequency	Per cent age	
Illiterate (No education)	5	4.17	
Primary school (up to 4 th std.)	7	5.83	
Middle school (5 th to 7 th std.)	9	7.50	
Secondary school (8 th to 10 th std.)	47	39.17	
Intermediate (11 th to 12 th std)	11	9.17	
Under graduation and above	41	34.16	
Total	100	100	
Annual Income			
Low (up to1.00lakh)	29	24.16	
Medium (1.01 to 4.93lakhs)	65	54.17	
High (4.94lakhs and above)	26	21.67	
Total	100	100	

Table 3. Distribution of the maize growers according to their size of the landholding and area
under maize

Variable	Category	Frequency	Percentage
Size of the	Marginal (up to 1.0ha)	11	9.16
landholding	Small (1.01 to 2.0 ha)	49	40.83
	Semi-medium (2.0 to 4.0 ha)	31	25.84
	Medium (4.01 to 10.0 ha)	25	20.84
	Large (10.01ha and above)	5	3.33
Area under maize	Small (up to 1.0ha)	87	72.50
	Medium (1.01 to 2.0ha)	17	14.17
	Large (2.01ha and above)	16	13.33
	range (z.0 ma and above)	10	10.00

If we see the area under maize cultivation, majority 72.50 percent of the maize growers had low area under maize cultivation, while 14.17 percent had medium area under maize crop and only 13.33 percent had high area under maize cultivation.

Table 4 indicates that, majority, 62.50 percent of maize growers had medium mass media exposure, while 20.00 percent had high exposure, and 17.50 percent had low exposure to mass media. Majority of maize growing farmers had medium level of exposure due to medium level of social participation and very few following the mass media like newspaper and Agricultural Magazines. This finding is in consistent with the Badhe [13].

It was found that, approximately 63.33 percent of maize farmers demonstrated a medium level of scientific orientation, whereas 20.84 percent exhibited a high scientific orientation, and the remaining 15.83 percent showed low scientific orientation. majority 79.16 per cent of maize growers had medium to high scientific orientation. This may be due to the high literacy

level and good extension contact of the maize growers. Similar findings were seen in the Singh and Pandey [12].

In terms of social participation, a majority, 57.50 percent, of maize farmers exhibited medium social participation, while 26.66 percent had low participation, and only 15.84 percent showed high social participation. This may be due to only a few organizations are active in villages which were affluent to large farmers whereas majority are small farmers with low level of interest towards participation. The findings were in consistent with results of Kirmirwar [14].

It was also noted that 52.50 percent of maize growers maintained a medium extension contact, while 30.84 percent had low contact, and 16.66 percent had high contact with extension services. The probable reason might be that, the majority of the maize growers were seeking information from opinion leaders and few of them were contacting authentic sources like extension agents and agricultural officers for the information. The findings of this analysis are more or less in consistent with the findings of Nirmala [15].

Table 4. Distribution of the maize growers based on their mass media exposure, sc	ientific
orientation, social participation and extension contact	

Variable	Category	Frequency	Percentage
Mass media	Low (up to 4)	21	17.50
exposure	Medium (5 to 8)	75	62.50
	High (9 and above)	24	20.00
Scientific orientation	Low (up to 20)	25	20.84
	Medium (21-26)	76	63.33
	High (27 and above)	19	15.83
Social participation	Low (up to 3)	32	26.66
	Medium (4 to 8)	69	57.50
	High (9 and above)	19	15.84
Extension contact	Low (up to 4)	37	30.84
	Medium (5 to 8)	63	52.50
	High (9 and above)	20	16.66

Table 5. Correlation between socioeconomic profile and adaptation strategies followed by maize growers

Independent Variable	Correlation Coefficient
Age	0.018 ^{NS}
Education	0.382**
Family Size	-0. 075 ^{NS}
Farming experience	0.191*
Land Holding	0.205*
Annual income	0.399**
Area Under maize Crop	0.231*
Social participation	0.269**
Extension Participation	0.325**
Mass media participation	0.195*
Scientific Orientation	0.426**

4. RELATIONSHIP BETWEEN SOCIOECONOMIC PROFILE AND ADAPTATION STRATEGIES FOLLOWED BY MAIZE FARMERS TOWARDS CLIMATE CHANGE

Age vs Adaptation strategies followed: Table 5 indicated a non-significant but positive (0.018) correlation between age and adaptation strategies followed. This could be attributed to the fact that farmers are influenced not only by age but also by other factors when adopting adaptation strategies. Similar findings were reported by Suganth K. and Philip, H [16]. as family size inc prompt implemen The same finding and Philip, H [16]. **Farming experie** followed: The f

Education vs Adaptation strategies followed: Education of the maize farmers had highly significant and positive correlation with adaptation strategies followed at 0.01 probability level (0.382**). This emphasizes the importance of education in adopting adaption strategies, as educated individuals tend to be more open to new concepts and technological innovations.

Family size vs Adaptation strategies followed: There is negative and nonsignificant (-0.075^{NS}) correlation between family size and adaptation strategies followed. This may be attributed to the challenge of navigating diverse family perspectives as family size increases, potentially hindering the prompt implementation of adaptation measures. The same findings were reported by Suganth K. and Philip, H [16].

Farming experience vs Adaptation strategies followed: The farming experience of farmers showed a statistically significant positive correlation with adaptation strategies followed at 0.05 probability level (0.191*). This result depicts that, as the experience of the respondent increases, he may have been aware of climate change and its consequences on the maize crop, motivating him to follow adaptation strategies to minimize the effects of climate change while also increasing output. This finding is consistent with Maddison findings [17]. Landholding vs Adaptation followed: The landholding of maize farmers effects of climate change. This finding supports the exhibited a positive and significant correlation with findings of Kranthi K. [20]. adaptation strategies followed at 0.05 the probability level (0.205*). This could be because Scientific orientation vs Adaptation strategies the large farmers are highly affected by followed: The scientific orientation of maize climatic change in a large area compared to small farmers demonstrated a positive and highly farmers. Due to this, large farmers are more significant conscious in adapting different adaptation strategies followed at the 0.01 probability level strategies. The same findings were reported by (0.426**). Abid et al. [18].

Annual Income and Adaptation Strategies followed: The annual income of maize growers showed a significant positive correlation with the accordance with the results of Trilochana K.C. adaptation strategies they implemented, significant [22]. at the 0.01 level (0.399**). The reason might be, the higher income of farmer motivated him to 5. CONCLUSION follow adaptation strategies. These results were in consistent with the results of Ravi, S. K [19].

Area under maize cultivation vs Adaptation strategies: The area of land under maize cultivation among farmers showed a positive and statistically significant correlation with the and adaptation probability level (0.231*).

Social participation vs Adaptation strategies: The social participation of farmers exhibited a media, and exhibited a moderate level of positive and highly significant correlation with the adaptation strategies followed at the 0.01 probability level (0.269**). This could be because As regards to relationship between socio farmers with active participation in various organizations have made themselves aware of adaptation strategies their different and importance in their own farming situations. This finding is in consistent with the results of of Kranthi K. [20].

Extension contact vs Adaptation strategies **followed:** There is a positive and highly significant correlation between extension contact and adaptation strategies followed at the 0.01 probability level (0.325**). This could be attributed to the regular interaction of maize farmers with strategies followed. extension personnel, which likely motivates them to implement adaptation strategies. Similar results **DISCLAIMER (ARTIFICIAL INTELLIGENCE)** were noted by Dhaka et al. [21].

The mass media exposure of farmers showed a for grammars editorials. positive and significant correlation with the adoption of adaptation strategies at the 0.05 COMPETING INTERESTS probability level (0.195*). This might be because increased exposure to mass media has raised Authors have declared that no competing awareness among farmers about the benefits of interests exist.

strategies adopting adaptation strategies to mitigate the

correlation with the adaptation Higher education and media exposure of farmers have influenced their attitude positively towards scientific procedures. which in turn influenced their willingness to implement adaption strategies. This finding is in

The study findings indicated that most maize growers were in the middle age group, had education up to secondary school level, belonged to families of medium size, possessed moderate farming experience, small landholding reported medium annual incomes. strategies followed at the 0.05 Additionally, it was found that the majority of farmers had medium level of social participation with medium level of extension participation, had medium exposure to mass scientific orientation.

> economic profile of maize growers and adaptation strategies followed. the study depicted that, independent variables such as education, farming experience, land holding, annual income, area under maize cultivation. social participation, extension contact, mass exposure, and scientific orientation media showed positive and significant correlation with the adaptation strategies followed. Whereas, age is positively and non-significantly correlation with the adaptation strategies followed and family size correlated is negatively with adaptation

Authors hereby declare that generative AI Mass media vs Adaptation strategies followed: technologies namely ChatGPT version 3.0 used

REFERENCES

- Adger WN, Huq S, Brown K, Conway D, Hulme M. Adaptation to climate change in the developing world. Progress in Development Studies. 2003;3(3):179-195.
- IPCC. Climate Change 2007: Synthesis Report. Bernstein L, Bosch P, Canziani O, Chen Z, Christ R, Davidson O, Hare W, Huq S, Karoly D, Kattsov V, Kundzewicz Z, Liu J, Lohmann U, Manning M, Matsuno T, Menne B, Metz B, Mirza M, Nicholls N, Nurse L, Pachauri R, Palutikof J, Parry M, Qin D, Ravindranath N, Reisinger A, Ren J, Riahi K, Rosenzweig C, Rusticucci M, Schneider S, Sokona Y, Solomon S, Stott P, Stouffer R, Sugiyama T, Swart R, Tirpak D, Vogel C, Yohe G, Cambridge University Press, Cambridge; 2007.
- 3. Bradshaw B, Dolan H, Smit B. Farm-level adaptation to climatic variability and change: Crop diversification in the Canadian prairies. Climatic Change. 2004; 67:119–141.
- 4. Gourdji SM, Sibley AM, Lobell DB. Global crop exposure to critical high temperatures in the reproductive period: historical trends and future projections. Environmental Research Letters. 2013;8(2):024041.
- Lobell DB, Bänziger M, Magorokosho C, Vivek B. Nonlinear heat effects on African maize as evidenced by historical yield trials. Nature Climate Change. 2011;1(1):42-45.
- Ceglar A, Zampieri M, Toreti A, Dentener F. Observed northward migration of agro-climate zones in Europe will further accelerate under climate change. Earth's Future. 2019;7(9):1088-1101.
- Barnabás B, Jäger K, Fehér A. The effect of drought and heat stress on reproductive processes in cereals. Plant, cell & environment. 2008;31(1):11-38.
- Dhanya P, Ramachandran A. Farmors perceptions of climate change and the proposed agriculture adaptation strategies in a semi aid region of south India. Journal of Integrative Environmental Sciences. 2015;13(1):61-79.
- Sathyanarayan K, Jagadeeswary V, Murthy VC, Ruban SW, Sudha G. Socioeconomic status of livestock farmers of Narasapura Village-A benchmark analysis. Veterinary World. 2010;3(5):215.
- 10. Dhodia AJ, Naik RM, Tandel BM. Attitude of farmers towards training programme of mega seed project. Gujarat Journal of

Extension Education. 2014;25(1):9-12.

- 11. Painkra SK, Dev, CM, Mandal BK. Information sources of tribal rice growers of Bastar District of Chhattisgarh. Interaction. 2010;28(3):102-105.
- 12. Singh KK, Pandey ML. Knowledge and Adoption behavior of paddy growers. Agricultural Extension. Review. 2013;22-23.
- Badhe DK. Farmers perception regarding environment risk in use of pesticides in 6YT district of Gujarat state, 'Unpublished, M. Sc. Thesis, Anand Agricultural University, Anand; 2012.
- Kirmirwar SU. Mitigation practices followed by cotton growers to control pink bollworm, M.Sc. (Ag) Thesis, MPKV, Rahuri, India; 2019.
- Nirmala B, Vasudev N, Suhasini K. Farmer's perceptions on hybrid rice technology: A case study of Jharkhand, Indian Res. J. Ext. Edu. 2013;13(3).
- 16. Suganth K, Philip, H. Adaptation strategies followed by the rice growers to mitigate the impact of climate change. Journal of Extension Education. 2018;30(1).
- Maddison D. The perception of and adaptation to climate change in Africa. CEEPA, University of Retoria, South Africa. CEEPA Discussion paper No. 2006;10.
- Abid M, Scheffran J, Schneider UA, Ashfaq MJESD. Farmers' perceptions of and adaptation strategies to climate change and their determinants: the case of Punjab province, Pakistan. Earth System Dynamics. 2015;6(1):225-243.
- Ravi SK, Nagasree K, Maruthi SGR, 19. Prasad MS, Raju BMK, Subba Rao AVM, Venkateswarlu B. Farmer's perceptions measures and adaptation towards changing climate in South India and role of extension in adaptation and mitigation to climate. Central changing Research Institute for Dryland Agriculture, Hyderabad. Extension Bulletin. 2013;03:7-28.
- 20. Kranthi K. A study on farmers perception and adaptation towards climate variability in Kurnool district of Andhra Pradesh, M.Sc. (Ag) Thesis. ANGRAU, India; 2014.
- Dhaka BL, Chayal K, Poonia MK, Kendra KV. Analysis of farmers' perception and adaptation strategies to climate change. Libyan Agriculture Research Center Journal International. 2010;1(6):388-390.

22.	Trilochana	KC.	А	study	on
	vulnerability	and	ada	aptability	of
	farmers to cli	mate ch	ange	in North	Bank

Plains Zone of Assam, M.Sc. (Ag) Thesis, Assam agricultural university, India: 2019.

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of the publisher and/or the editor(s). This publisher and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.

© Copyright (2024): Author(s). The licensee is the journal publisher. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history: The peer review history for this paper can be accessed here: https://www.sdiarticle5.com/review-history/121621